## **ELEVATION CERTIFICATE**

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages:

	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME	POLICY NUMBER					
Rich Fiermosca					9 9	
STREET ADDRESS (Including A)	9 9 <sub>0</sub> 8 g g 7 <del>6</del>	Number) OR P.O. R	OUTE AND BOX NUMBER		COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and	Bay Avenue		,			
		-1- 202 P-	₹	C	NT T	
- CITY	14,15,16 Blo	ck 202, Ba	rnegat Twp., Oc	ean County, STATE		
Barnegat				N.J.	ZIP CODE	
- Dar negat		LOOD INSURA	NCE RATE MAP (FIRM)		08005	
Provide the following from the				H.		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
340396	0023	С	12-15-1982	A.5	(in AO Zones, use depth)	
7. Indicate the elevation dat	um system used on th	he FIRM for Bar			Other (describe on back)	
8. For Zones A or V, where	no BFE is provided o	n the FIRM, and	the community has est	ablished a BFE for	or this building site, indicate	
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: + + + + + + + + + + + + + + + + + + +						
SECTION C BUILDING ELEVATION INFORMATION						
1. Using the Elevation Certif	ficate Instructions, ind	licate the diagra	am number from the diag	rams found on P	ages 5 and 6 that best	
describes the subject but	ilding's reference leve	1	.3		- A	
2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1 1 1 9.13 feet NGVD (or other FIRM datum—see Section B, Item 7).						
(b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from						
the selected diagram, is at an elevation of 1-1-1-1-1 feet NGVD (or other FIRM datum-see Section B, Item 7).						
(c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above or						
below (check one)	the highest grade adj	jacent to the bu	ilding		6.5	
one) the highest grade	adjacent to the building	ng. If no flood o		e, is the building	oove or below (check s lowest floor (reference	
Indicate the elevation datu under Comments on Page the FIRM [see Section B equation under Comments	um system used in de e 2). <i>(NOTE: If the e</i> l, <i>Item 7], then conver</i>	etermining the a	bove reference level ele- used in measuring the e	vations: 🕅 NGV levations is differ	D '29 Other (describe ent than that used on	
4. Elevation reference mark	- 170 HO	M. Tyes X	No (See Instructions or	Page 4)		
5	77					
5. The reference level elevation is based on: \(\frac{\Lambda}{\top}\) actual construction \(\subseteq\) construction drawings \((NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)						
<ol><li>The elevation of the lowes Section B, Item 7).</li></ol>	t grade immediately a	adjacent to the t	ouilding is: LLLL 6.	L.ieet NGVD (	or other FIRM datum-see	
5	SEC	CTION D CON	MUNITY INFORMATIO	И	%.	
<ol> <li>If the community official re- is not the "lowest floor" as floor" as defined by the ord</li> </ol>	defined in the commu	unity's floodplain	n management ordinanc VD (or other FIRM datu	e, the elevation o	of the building's "lowest	
2. Date of the start of constru	ction or substantial in	nprovement	×	<del></del> •		


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)						
	John P. Augustine	34838					
TITLE	COMPANY NAME						
	Professional Land Su	rveyor Gravatt Geller & As	sociates				
ADDRESS	1	CITY	STATE ZIP				
SIGNATURE	P.O. Box 1007	Forked River	N.J. 08731				
SIGNATURE	1. Jugistia	5/18ATE97	PHONE 609-693-6126				
Copies should I	be made of this Certificate for: 1)	community official, 2) insurance agent/c	ompany, and 3) building owner.				
COMMENTS: _	This does not co	ertify the location of, or i	f any equipment				
	servicing the dwellin	ng is above, below the base f	lood elevation, or if any				
	breakaway or non-brea	akaway walls were constructed	or if correct number of				
	wall openings were co	onstructed.	9				
	AC unit platform	n elevation = 8.3	3				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.