## **ELEVATION CERTIFICATE**

/3 Job 7 O.M.B. Expires

Job 7118 O.M.B. No. 3067-0077 Expires July 31, 1999

FEDERAL EMERGENCY MANAGEMENT AGENCY

NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

	Instructions for o	completing thi	s form can be found on	the following p	pages.
The state of the s		FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME		POLICY NUMBER			
Michael & Diana					
STREET ADDRESS (Including A 5 Creek View Roa		COMPANY NAIC NUMBER			
OTHER DESCRIPTION (Lot and		55 64			
Tax Lot 3, Block	206 Barnegat	Twp., Oce	an County	New Jersey	
CITY Barnegat				STATE	ZIP CODE 08005
Darnegat	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
2/0206	0022	C	12/15/1002	۸.5	(in AO Zones, use depth)
340396	0023	C	12/15/1982	A5, .	7.0
	no BFE is provided o	n the FIRM, an	d the community has est	ablished a BFE for	Other (describe on back) or this building site, indicate
	SECTIO	NC BUILDI	NG ELEVATION INFORM	MATION	
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade	VE, and V (with BFE), is at an elevation of L BFE). The floor used the highest grade ad floor used as the refer adjacent to the building dance with the commum system used in dee 2). (NOTE: If the ear, then converted.)	The bottom of the business as the reference level from the business. If no flood unity's floodplatermining the allevation datum	f the lowest horizontal str feet NGVD (or other FIR ice level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elec- used in measuring the e	M datum—see Sed diagram is Land diagram is Land diagram is Land diagram is Land diagram is the building of the control of the	ection B, Item 7).  feet above cor  cove cor below (check s lowest floor (reference No county Unknown yo '29 county Other (describe rent than that used on
. Elevation reference mark		M: Yes X	No (See Instructions or	Page 4)	
5. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons	tion is based on: X ion drawings is only v ly be valid for the buil	actual construct	ction  construction draing does not yet have the	awings reference level i	floor in place, in which ion Elevation Certificate
S. The elevation of the lower Section B, Item 7).	st grade immediately a	adjacent to the	building is: 116.	上 feet NGVD (	or other FIRM datum-see
•	SE	CTION D COI	MMUNITY INFORMATIO	N	
is not the "lowest floor" as floor" as defined by the or Date of the start of constru	defined in the communication of the defined in the communication of the defined in the communication of the commun	unity's floodplai	in management ordinance GVD (or other FIRM datur	e, the elevation on the see Section B	of the building's "lowest
FEMA Form 81-31, MAR 97		1 PREVIOUS EDIT			ERSE SIDE FOR CONTINUATION

## SECTION E CERTIFICATION

Јов 7118


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

LICENSE NUMBER (or Affix Seal)					
	PLS 23934				
COMPANY	NAME				
Gravatt	ites	*			
CITY			STATE	ZIP	
Freehol	d		NJ	07728	
	PHONE (732)				
1) community offi	cial, 2) insurance agent/	company, and	3) bullding	owner.	
1) community offi	cial, 2) insurance agent/	company, and	3) bullding	own	
	Gravatt CITY Freehol	PLS 23934  COMPANY NAME  Gravatt Geller & Associa CITY  Freehold  DATE 1/3/00	PLS 23934  COMPANY NAME  Gravatt Geller & Associates  CITY  Freehold  DATE PHONE  1/3/00 (732)	PLS 23934  COMPANY NAME  Gravatt Geller & Associates  CITY  Freehold  DATE  PHONE	

this dwelling, which may or may not be above the base flood elevation. Attached garage floor elevation = 6.9, A/C pad elevation = 9.5.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

